


DIS. COD. 66.9500.00



KIT RICAMBI – SPARE KITS

| KIT RICAMBI – SPARE KITS | | | | PISTONE - PISTON Ø18 | | | PISTONE - PISTON Ø20 | | | PISTONE - PISTON Ø22 | | | PISTONE - PISTON Ø24 | | | | |
|---|-------|-------|-------------------------|----------------------|----------------------|---------|----------------------|---------|---------|----------------------|-------------|---------|----------------------|---------|-------------|---------|----------------------|
| KIT NR. | KIT 2 | KIT 3 | KIT 169 | KIT 180 | KIT 176 | KIT 170 | KIT 171 | KIT 173 | KIT 177 | KIT 181 | KIT 182 | KIT 170 | KIT 171 | KIT 173 | KIT 177 | KIT 181 | KIT 182 |
| Posizioni include Positions included | 51 | 39 | 3-4 4-5 6 (10) | 42-43 44-45 46 | 42-43 44-45 46 | 44-46 | 42-43 44-45 46 | 44-46 | 44-46 | 44-46 | 44-45 46 | 44-46 | 44-45 46 | 44-46 | 44-45 46 | 44-46 | 42-43 44-45 46 |
| Nr. Pcs. | 3 | 2 | 6 | 3 | 1 | 3 | 1 | 3 | 1 | 3 | 1 | 3 | 1 | 3 | 1 | 3 | 1 |

| PISTONE - PISTON Ø 18 | PISTONE - PISTON Ø 20 |
|-----------------------|--|
| W3021 - T3025 | W2525 - W3025 T2530 - T2535 - T2830 |
| PISTONE - PISTON Ø 22 | PISTONE - PISTON Ø 24 |
| W2030 - W2035 - T2040 | W2141 - T1750 |

| POS | COD. | DESCRIZIONE – DESCRIPTION - KIT | NR |
|-----|------------|---------------------------------|-----|
| 1 | 66.1245.41 | Testata Ø 18 | 1 |
| 1 | 66.1200.41 | Testata Ø 20 | 1 |
| 1 | 66.1201.41 | Testata Ø 22 | 1 |
| 1 | 66.1202.41 | Testata Ø 24 | 1 |
| 2 | 99.3801.00 | Vite M10x90 UNI 5931 | 8 |
| 3 | 90.3857.00 | OR Ø 23.81x2.62 (132) | 169 |
| 4 | 36.2033.66 | Sede valvola sferica | 169 |
| 5 | 36.2034.76 | Valvola | 169 |
| 6 | 94.7388.00 | Molla Ø 10x18.5 | 169 |
| 7 | 36.2035.51 | Guida valvola | 169 |
| 8 | 90.5165.00 | Anello antiest. Ø 24.7x29x1.5 | 6 |
| 9 | 66.1300.41 | Tappo M32x1.5x29.5 | 6 |
| 10 | 36.7127.01 | Gruppo valvola aspiraz. / mand. | 169 |
| 11 | 99.3039.00 | Vite M8x16 UNI 5931 | 8 |
| 12 | 47.1512.22 | Coperchio cuscinetto lato spia | 1 |
| 13 | 90.3913.00 | OR Ø 67.95x2.62 (3268) | 2 |
| 14 | 90.3877.00 | OR Ø 39.34x2.62 (3156) | 1 |
| 15 | 70.2118.01 | Spia livello olio | 1 |
| 16 | 90.0756.00 | Anello seeger Ø 45 | 1 |
| 17 | 91.8380.00 | Cuscinetto a rulli NU 2206 EC | 2 |

| POS | COD. | DESCRIZIONE – DESCRIPTION - KIT | NR |
|-----|------------|---|----|
| 18 | 66.0100.22 | Carter pompa | 1 |
| 19 | 98.2106.00 | Tappo carico olio G 3/8" | 1 |
| 20 | 66.0200.35 | Albero – W2525-W2030-W3021-W3025 T2530-T3025-T2830 | 1 |
| 21 | 66.0204.35 | Albero – W2035-W2141-T2535-T2040-T1750 | 1 |
| 22 | 91.4892.00 | Linguetta 9x7x35 UNI 6604 | 1 |
| 22 | 66.0300.01 | Biella completa | 3 |
| 23 | 90.3922.00 | OR Ø 133.02x2.62 (3525) | 1 |
| 24 | 66.1600.22 | Coperchio posteriore | 1 |
| 25 | 99.1884.00 | Vite M6x20 UNI 5931 | 4 |
| 26 | 90.4051.00 | OR Ø 26.58x3.53 (4106) | 1 |
| 27 | 63.2100.51 | Spia livello olio | 1 |
| 28 | 98.2041.00 | Tappo G 1/4"x9 | 1 |
| 29 | 90.3585.00 | OR Ø 10.82x1.78 (2043) | 4 |
| 30 | 99.3099.00 | Vite M8x35 UNI 5931 | 6 |
| 32 | 97.7405.00 | Spinotto Ø 14x39 | 3 |
| 33 | 66.0500.66 | Guida pistone | 3 |
| 34 | 96.7101.00 | Rosetta Ø 10x28x0.5 | 3 |
| 35 | 66.0403.09 | Pistone Ø 18x54 | 3 |
| 35 | 66.0400.09 | Pistone Ø 20x54 | 3 |
| 35 | 66.0401.09 | Pistone Ø 22x54 | 3 |
| 35 | 66.0404.09 | Pistone Ø 24x54 | 3 |
| 36 | 90.3584.00 | OR Ø 10.82x1.78 (2043) - 90 Sh. | 3 |
| 37 | 66.2195.66 | Vite fissaggio pistone | 3 |
| 38 | 47.1510.22 | Coperchio cuscinetto aperto | 1 |
| 39 | 90.1648.00 | Anello rad. Ø 30x55x7 | 3 |

| POS | COD. | DESCRIZIONE – DESCRIPTION - KIT | NR |
|-----|-------------|--------------------------------------|-----|
| 40 | 90.3833.00 | OR Ø 13.95x2.62 (3056) | 1 |
| 41 | 98.2100.00 | Tappo G 3/8"x13 | 2 |
| 42 | 66.0803.70 | Anello di fondo Ø 18 | 176 |
| 42 | 66.0800.70 | Anello di fondo Ø 20 | 171 |
| 42 | 66.0801.70 | Anello di fondo Ø 22 | 173 |
| 42 | 66.0804.70 | Anello di fondo Ø 24 | 182 |
| 43 | 90.3616.00 | OR Ø34.65x1.78 (2137)171-173-176-182 | 3 |
| 44 | 90.2652.00 | Anello tenuta Ø18x26x6.5 LP 180-176 | 3 |
| 44 | 90.2690.00 | Anello tenuta Ø20x28x6.5 LP 170-171 | 3 |
| 44 | 90.2715.00 | Anello tenuta Ø22x30x6.5 LP 172-173 | 3 |
| 44 | 90.2738.00 | Anello tenuta Ø24x32x6.5 LP 181-182 | 3 |
| 45 | 66.2163.70 | Anello intermedio Ø 18 | 176 |
| 45 | 66.2160.70 | Anello intermedio Ø 20 | 171 |
| 45 | 66.2161.70 | Anello intermedio Ø 22 | 173 |
| 45 | 66.2164.70 | Anello intermedio Ø 24 | 182 |
| 46 | 90.2655.00 | Anello tenuta Ø18x28x10 HP 180-176 | 3 |
| 46 | 90.2692.00 | Anello tenuta Ø20x30x10 HP 170-171 | 3 |
| 46 | 90.2717.00 | Anello tenuta Ø22x32x10 HP 172-173 | 3 |
| 46 | 90.2741.00 | Anello tenuta Ø24x34x10 HP 181-182 | 3 |
| 47 | 47.2000.74 | Piedino fissaggio pompa | 2 |
| 48 | 96.77106.00 | Rosetta Ø 10.2 DIN 7980 | 4 |
| 49 | 99.3644.00 | Vite M10x18 UNI 5931 | 4 |
| 50 | 90.9126.00 | Boccola Ø 22x25x30 | 3 |
| 51 | 90.1625.00 | Anello rad. Ø 22x32x5.5 | 2 |
| 52 | 96.7380.00 | Rosetta Ø 17.5x23x1.5 | 1 |
| 53 | 96.7700.00 | Rosetta Ø 26.5x32x1.5 | 1 |
| 54 | 98.2268.00 | Tappo G 3/4"x16 | 1 |
| 55 | 98.2043.00 | Tappo G 1/4"x13 | 3 |