

| S |
|------|
| 五五 |
| AR |
| g. |
| |
| MBI |
| 9 |
| CAMB |

| KIT Nr. | KIT 2 | KIT 3 | KIT 202 | KIT 367 | KIT 368 | KIT 369 | KIT 370 |
|---|-------|-------|---------|---------|--------------------------|--------------------------|---------------------------------|
| Posizioni incluse Positions included | 17 | 42 | 45 - 47 | 10 - 11 | 35 - 37 38 - 39 59 | 43 - 44 45 - 46 47 | 4 - 5 6 - 7 8 - 9 (12) |
| Nr. Pcs. | ю | 2 | ю | 9 | ю | 1 | 9 |

| | | | |] | | | | | | | |
|----------|-------------------------------------|------------|-----|--------|--|-------------------------|---------|-------|--|--------------------------|-------|
| | | | | 1 | Rosetta D. 21.5x27.0x1.5 | 96.7514.00 | 52 | 3 | Spinotto D. 13.0x35.5 | 97.7380.00 | 25 |
| | | | | 1 | Tappo G 1/2"x10 | 98.2179.00 | 51 | 9 | Anello d'arresto A12 | 90.0557.00 | 24 |
| | し し | | | 4 | Rosetta D. 10.2x16.0x2.5 | 96.7106.00 | 50 | - | Linguetta 9.0x7.0x35.0 | 91.4892.00 | 23 |
| | | | | 4 | Vite M10x18 UNI 5931 | 99.3644.00 | 49 | | Albero ecc. C.15 - VHT4723 | 47.0224.35 | |
| | 0/2 | | | 2 | Piede pompa | 47.2000.74 | 48 | 1 | Albero ecc. C.12 - VHT4718 Albero ecc. C.14 - VHT4721 | 47.0218.35 47.0221.35 | 22 |
| | | | | т | Anello ten. alt. D. 22.0x35.0x9.0 202-369 | 90.2310.00 | 47 | 1 | Albero ecc. C.10 - VHT4715 | 47.0219.35 | 77 |
| | | | | က | Anello intermedio D. 22 369 | 47.2175.70 | 46 | · - | OR D 133 02x2 62 NBR 705H 3575 | 90 3922 00 | 2 5 |
| | | | | 2 | Anello ten. alt. D. 22x28.15 LP 202-369 | 90.2300.00 | 45 | - | Tappo con asta G 3/8"x64 | 98.2106.00 | 20 |
| | | | | o (| Aliello di lolido D. 22 | 47.0014.70 | ţ ţ | 1 | Carter pompa | 47.0100.22 | 19 |
| | | | | C | مکر کے کہ میں ارمیام | 77 001 4 70 | 5 | 3 | Boccola D. 22.0x25.0x30.0 | 90.9126.00 | 18 |
| | | | | 3 | OR D. 34.65x1.78 HNBR 70SH 2137 | 90.3616.50 | 43 | 3 | Anello rad. D. 22.0x32.0x6.5 | 90.1625.00 | 17 |
| | | | | 1 | Anello rad. D. 30.0x55.0x7.0 | 90.1648.00 | 42 | 2 | Cuscinetto a rulli | 91.8378.00 | 16 |
| | | | | ı | Spessore D. 74.5x104.0x0.3 | 97.5680.00 | 41 | 2 | OR D. 67.95x2.62 NBR 70SH 3268 | 90.3913.00 | 15 |
| | | | | 7 | Copel Cillo Cuscilletto Iato P.10 | 47.151.74 22.0161.74 | 7 | 1 | Coperchio cuscinetto lato spia | 47.1512.22 | 14 |
| | | | | າ . | Vice ilssaggio piscone | 47.2195.00 | ξ, ξ | 8 | Vite M8x16 UNI 5931 | 99.3039.00 | 13 |
| | | | | ກ (| (0.5 | 96.7280.00 | 8 | 9 | Gr. valvola aspirazione / mandata 370 | 36.7261.01 | 12 |
| | | | | m | .0x1.5 | 90.5067.00 | 37 | 9 | Tappo M24x2x16.5 367 | 98.2222.00 | 11 |
| | | | | 2 | Pistone D. 22 | 47.0405.09 | 36 | 9 | OR D. 20.24x2.62 HNBR 90SH 3081 | 90.3847.50 | 10 |
| | | | | 3 | Rosetta D. 14.0x280.x0.5 | 96.7286.00 | 35 | 9 | Guida valvola | 36.2002.51 | 6 |
| | | | | 9 | Vite M8x35 UNI 5931 | 00'660£'66 | 33 | 9 | Molla Dm. 9.4x14.8 INOX 370 | 94.7376.00 | 8 |
| <u>۳</u> | OR D. 10.82x1.78 HBNR 70SH 2043 368 | 90.3585.50 | 29 | 1 | OR D. 10.82x1.78 NBR 70SH 2043 | 90.3585.00 | 32 | 9 | Valvola sferica 370 | 36.2001.76 | 7 |
| 1 | OR D. 25.07x2.62 NBR 70SH 3100 | 90.3859.00 | 28 | 1 | Tappo G 1/4"x9 TE17 – Zinc. | 98.2042.50 | 31 | 9 | Sede valvola 370 | 36.2003.66 | 9 |
| 1 | OR D. 39.34x2.62 NBR 70SH 3156 | 90.3877.00 | 22 | 1 | Gr. spia livello olio G 3/4" | 47.2213.01 | 30 | 9 | An. ten. D. 17.1x22.3x1.8 HNBR 370 | 90.3401.00 | 2 |
| 1 | Anello d'arresto ZJ45 | 90.0756.00 | 26 | 1 | Coperchio posteriore | 47.1601.22 | 29 | 9 | Anello antiest. D. 17.4x21.9x1.8 370 | 90.5105.00 | 4 |
| 1 | Spia livello olio | 70.2118.01 | 55 | 5 | Vite M6x30 UNI 5931 | 99.1912.00 | 28 | 8 | Rosetta D. 8.4x15.0x1.5 | 96.7020.00 | 3 |
| 1 | Rosetta D. 17.5x23.0x1.5 | 96.7380.00 | 54 | 3 | Biella completa | 47.0300.01 | 27 | 8 | Vite M8x70 UNI 5737 | 99.3206.00 | 2 |
| - | Tappo G 3/8"x13 | 98.2099.00 | 53 | 3 | Guida pistone | 47.0504.66 | 76 | 1 | Testata D. 22 | 47.1209.41 | 1 |
| E | DESCRIZIONE - DESCRIPTION - KIT | COD. | POS | R R | DESCRIZIONE – DESCRIPTION – KIT | COD. | POS | A. | DESCRIZIONE - DESCRIPTION - KIT | COD. | POS |
| | | | | | | | | | | | |

| | KIT Nr. | KIT 2 | KIT 3 | KIT 202 | KIT 367 | KIT 368 | KIT 369 | KIT 370 |
|--|---|-------|-------|---------|---------|--------------------------|--------------------------|---------------------------------|
| VHT4715 - VHT4718 VHT4721 - VHT4723 | Posizioni incluse Positions included | 17 | 42 | 45 - 47 | 10 - 11 | 35 - 37 38 - 39 59 | 43 - 44 45 - 46 47 | 4 - 5 6 - 7 8 - 9 (12) |
| | Nr. Pcs. | ٤ | 2 | ٣ | 9 | ε | F | 9 |